



SCREEN

ZAŠTITNE MASKE ZA VARENJE

Maska za zavarivanje prikladna za elektrolučno i Tig & Mig zavarivanje

Oprema za zaštitu glave



Područje upotrebe

- Javni radovi
- Zgrada
- Pomoćni poslovi / Obrtništvo
- Proizvodnja / Prerada
- Laka industrija
- Održavanje

Certifikati i standardi



EN 379

1/1/1/2
4/9

EN175

F

EN166

1 F

ANSI Z87.1 - IMPACT

Z87 W4/9-13

Štiti od



Toplina



Šok



UV / IR



SCREEN

ZAŠTITNE MASKE ZA VARENJE

Maska za zavarivanje prikladna za elektrolučno i Tig & Mig zavarivanje

Oprema za zaštitu glave

Pojedinosti - Standardi

Tehnički detalji

Upotreba	Unutarnji/vanjski
Tip naočala	Kaciga za zavarivanje
Materijal od leće	Polikarbonat
Stil leće	Monoblok
Boja stakla	Nijansa za zavarivanje 13
Optička klasa	1
Razred zaštite (u boji)	4
Karakteristika od leće	Ravna
Mehanička otpornost (naočale)	F
Boja okvira	Crno
Težina (g)	474








SCREEN

WELDING

Maska za zavarivanje prikladna za elektrolučno i Tig & Mig zavarivanje

Oprema za zaštitu glave

Informations logistiques

Šifra	Boja	Veličina	Oznaka	BAR KOD 13	Kod za skladišno pakiranje			Težina			
SCREEN	Crna	Podesiva	SCREEN	3295249210076	13295249210073	6	1	6.8 kg	33.4 cm	52.2 cm	73.8 cm



Višestruka prodaja



Minimalna prodaja



Box Width



Box Depth



Box Height